





THE KISUMU NATIONAL POLYTECHNIC

PRE-QUALIFICATION DOCUMENT

SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF 2NO LIFTS FOR THE

PROPOSED REGIONAL FLAGSHIP TVET INSTITUTE OF TEXTILE TECHNOLOGY AT KISUMU NATIONAL POLYTECHNIC

REF: KE-KISUMUPOLY-493473-CW-RFB

Country: KENYA

MAY 2025

NAME AND IDENTIFICATION OF TENDER

PRE-QUALIFICATION DOCUMENT FOR WORKS CONTRACTS

Invitation for Pre-qualification No.: <u>KE-KISUMUPOLY-493473-CW-RFB</u> *Contract Name:* **SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF 2NO LIFTS**

THE KISUMU NATIONAL POLYTECHNIC:

Issued on: <u>27/5/25</u>

(This Pre-qualification Document is for use with a Standard Tender Document inviting for tenders)

INVITATION TO APPLY FOR PREQUALIFICATION

Name of Contract: Supply, Installation, testing and commissioning of 2 no Lifts

Prequalification Reference No.: KE-KISUMUPOLY-493473-CW-RFB

- 1. The Kisumu National Polytechnic intends to prequalify contractors for Supply Installation, testing and commissioning of 2 No Lifts
- 2. It is expected that the Invitation to Tender will be made in <u>the June 2025</u>. Tendering will be conducted through *national competitive tendering* procedures using a standardized tender document and will be open to all applicants who prequalify.
- 3. Qualified and interested applicants may obtain further information and inspect the Prequalification Document during office hours 0900 to 1500 hours at the address given below.
- 4. A complete set of Prequalification Document in English may be purchased or obtained by interested applicants upon payment of a non-refundable fees of Kenya shillings 1000.00 in cash or Banker's Cheque and payable to the address given below. Tender documents obtained electronically will be free of charge.
- 5. Prequalification Document may be viewed and downloaded for free from the website www.tenders.go.ke. Or <u>www.kisumupoly.ac.ke</u> Applicants who download the Prequalification Document must forward their particulars immediately to <u>procurement@kisumupoly.ac.ke</u> to facilitate any further clarification or addendum.
- 6. Applications for prequalification should be submitted by postal service, or hand/courier delivery, clearly marked envelopes and delivered to the address given below by 11:00 AM. 11th June 2025.
- 7. Late applications are liable to be rejected.
- 8. Address where to submit Applications

THE KISUMU NATIONAL POLYTECHNIC

CATHERINE KELONYE

P.O.BOX 143-40100

TECHNOLOGY ROAD, ADMINSTRATION BLOCK 2ND FLOOR

KISUMU, KENYA

PART 1 - APPLICATION PROCEDURES

SECTION I - INSTRUCTIONS TO APPLICANTS (ITA)

A. General

1. Scope of Application

- 1.1 The name of the Procuring Entity inviting for applications is defined in the **PDS**. The particular type of contract (works, goods or Non-Consulting Services required) and its name and description of the contract(s) and its reference number are defined in the **PDS**. If the scope of contract so defined is in multiple contracts, it will be specified in the **PDS** if prequalification will be based on individual contracts or multiple contracts. The Full scope of Works or Goods or Non-Consulting Services are described in Section V (Scope of Works or goods contract).
- 2 Source of Funds to be specified in the PDS, if deemed necessary.

3 Fraud and Corruption

- 3.1 The Government of Kenya requires compliance with its Anti-Corruption laws and its prevailing sanctions policies and procedures.
- 3.2 In further pursuance of this policy, Applicants shall permit and shall cause their agents (where declared or not), subcontractors, sub consultants, service providers, suppliers, and their personnel, to permit the Public Procurement Regulatory Authority (PPRA) to inspect all accounts, records and other documents relating to any initial selection process, prequalification process, tender submission(incase prequalified), proposal submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the PPRA.

4 Collusive practices

4.1 The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any applicant found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, applicants shall be required to complete and sign a Certificate of Independent Tender Determination" annexed to the Form of applicant.

5 Eligible Applicants

- 5.1 Applicants shall meet the eligibility criteria as per this ITA and ITA 5.1 and 5.2. An Applicant may be a firm that is a private entity, a state-owned enterprise or institution subject to ITA 5.9 or any combination of such entities in the form of a joint venture ("JV") under an existing agreement or with the intent to enter into such an agreement supported by a letter of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the prequalification process, tendering (in the event the JV submits a Tender) and during contract execution (in the event the JV is awarded the Contract). Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender. The maximum number of JV members shall be specified in the PDS.
- 5.2 Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to be prequalified. Public Officers with such relatives are also not allowed to participate in any procurement proceedings.
- 5.3 A firm may apply for prequalification both individually, and as part of a joint venture, or participate as a subcontractor. If prequalified, it will not be permitted to tender for the same contract both as an individual firm and as a part of the joint venture or as a subcontractor. However, a firm may participate as a subcontractor in more than one Tender, but only in that capacity. Tenders submitted in violation of this procedure will be rejected.
- 5.4 A firm and any of its affiliates (that directly or indirectly control, are controlled by or are under common control with that firm) may submit its application for prequalification either individually, as joint venture or as a subcontractor among them for the same contract. However, if prequalified, only one prequalified Applicant will be allowed to tender for the. All Tenders submitted in violation of this procedure will be rejected.
- 5.5 An Applicant may have the nationality of any country, subject to the restrictions pursuant to ITA 5.1 and 5.2.

An Applicant shall be deemed to have the nationality of a country if the Applicant is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. Sub-contractors or suppliers for any part of the Contract including related Non-Consulting Services.

- 5.6 Applicants shall not have a conflict of interest. Applicants shall be considered to have a conflict of interest, if they, or any of their affiliates, participated as a consultant in the preparation of the design or technical specifications or have been hired or proposed to be hired by the Procuring Entity as Engineer for contract implementation of the contract(s) that are the subject of this prequalification. In addition, Applicants may be considered to have a conflict of interest if they have a close business or family relationship with a professional staff of the Procuring Entity who:
 - a are directly or indirectly involved in the preparation of the prequalification Document or Invitation to Tender (ITT), Document or specifications of the Contract, and/or the Tender evaluation process of such Contract; or
 - b would be involved in the implementation or supervision of such Contract, unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the prequalification, ITT process and execution of the Contract.
- 5.7 An Applicant that has been debarred shall be ineligible to be initially selected for, prequalified for, tender for, propose for, or be awarded a contract during such period of time as the PPRA shall have determined. The list of debarred firms and individuals is available at www.ppra.go.ke
- 5.8 Applicants that are state-owned enterprise or institutions in Kenya may be eligible to prequalify, compete and be awarded a Contract(s) only if they can establish, in a manner accept able to the Procuring Entity, that they (i) are legally and financially autonomous (ii) operate under commercial law, and (iii) are not under supervision of any public entity.
- 5.9 An Applicant shall not be under sanction of debarment from Tendering by the PPRA as the result of the execution of a Tender/Proposal–Securing Declaration.
- 5.10 An Applicant that is a Kenyan firm or citizen shall provide evidence of having fulfilled his/her tax obligations by producing a current tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority.
- 5.11 An Applicant shall provide any other such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.

6 Eligibility

- 6.1 Firms and individuals may be ineligible if they are nationals of ineligible countries as indicated herein. The countries, persons or entities are in eligible if:
 - a. As a matter of law or official regulations, Kenya prohibits commercial relations with that country, or
 - b. By an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting of works or Non- Consulting Services from that country, or any payments to any country, person, or entity in that country.
- 6.2 When the Works, supply of Goods or provision of non-consulting services are implemented a cross jurisdictional boundary (and more than one country is a Procuring Entity, and is involved in the procurement), then exclusion of a firm or individual on the basis of ITA 5.1 (a) above by any country may be applied to that procurement a cross other countries involved, if the Procuring Entities involved in the procurement so agree.
- 6.3 Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

B. Contents of the Prequalification Documents

7 Sections of Prequalification Document

7.1 This Prequalification Document consists of parts1 and 2 which comprise all the sections indicated below, and which should be read in conjunction with any Addendum issued in accordance with IT A8.

PART 1 - Prequalification Procedures

- i) Section I- Instructions to Applicants (ITA)
- ii) Section II Prequalification Data Sheet (PDS)
- iii) Section III Qualification Criteria and Requirements
- iv) Section IV- Application Forms

PART 2 - Works, Goods, or Non-Consulting Services Requirements

- i) Section VII- Scope of Works, Goods, or Non-Consulting Services
- 7.2 Unless obtained directly from the Procuring Entity, the Procuring Entity accepts no responsibility for the completeness of the document, responses to requests for clarification, the minutes of the pre-Application meeting (if any), or Addenda to the Prequalification Document in accordance with ITA 8. In case of any discrepancies, documents issued directly by the Procuring Entity shall prevail.
- 7.3 The Applicant is expected to examine all instructions, forms, and terms in the Prequalification Document and to furnish with its Application all information or documentation as is required by the Prequalification Document.

8 Clarification of Prequalification Documents, site visit(s) and Pre-Application Meeting

- 8.1 An Applicant requiring any clarification of the Prequalification Document shall contact the Procuring Entity in writing at the Procuring Entity's address indicated in the **PDS**. The Procuring Entity will respond in writing to any request for clarification provided that such request is received no later than fourteen (14) days prior to the deadline for submission of the applications. The Procuring Entity shall forward a copy of its response to all prospective Applicants who have obtained the Prequalification Document directly from the Procuring Entity, including a description of the inquiry but without identifying its source. If so indicated in the **PDS**, the Procuring Entity deem it necessary to amend the Prequalification Document as a result of a clarification, it shall do so following the procedure under ITA 8. And in accordance with the provisions of ITA 17.2.
- 8.2 The Applicant, at the Applicant's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the required contracts and obtain all information that may be necessary for preparing the application. The costs of visiting the Site shall be at the Applicant's own expense. The Procuring Entity shall specify in the **PDS** if a pre-application meeting will be held, when and where. The Procuring Entity shall also specify in the **PDS** if a pre-arranged Site visit will be held and when. The Applicant's designated representative is invited to attend a pre- application meeting and a pre-arranged site visit. The purpose of the meetings will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 8.3 The Applicant is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **PDS** before the submission date of applications.
- 8.4 Minutes of a pre-arranged site visit and those of the pre-application meeting, if applicable, including the text of the questions asked by Applicants and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Applicants who have acquired the prequalification documents. Minutes shall not identify the source of the questions asked.
- 8.5 The Procuring Entity shall also promptly publish anonymized (*no names*) Minutes of the pre-arranged site visit and those of the pre-proposal meeting at the web page identified **in the PDS**. Any modification to the Prequalification Documents that may become necessary as a result of the pre-arranged site visit and those of the pre-application meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to PDS 8 and not through the minutes of the pre-application meeting. Non-attendance at the pre-arranged site visit and the pre-tender meeting will not be a cause for disqualification of a Tenderer.

9 Amendment of Prequalification Document

- 9.1 At any time prior to the deadline for submission of Applications, the Procuring Entity may amend the Prequalification Document by issuing an Addendum.
- 9.2 Any Addendum issued shall be part of the Prequalification Document and shall be communicated in writing to all Applicants who have obtained the Prequalification Document from the Procuring Entity. The Procuring Entity

shall promptly publish the Addendum at the Procuring Entity's webpage identified in the PDS.

9.3 To give Applicants reasonable time to take an Addendum into account in preparing their Applications, the Procuring Entity may, at its discretion, extend the deadline for the submission of Applications in accordance with ITA 17.2.

C. Preparation of Applications

10 Cost of Applications

10.1 The Applicant shall bear all costs associated with the preparation and submission of its Application. The Procuring Entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the prequalification process.

11 Language of Application

11.1 The Application as well as all correspondence and documents relating to the prequalification exchanged by the Applicant and the Procuring Entity, shall be written in English Language. Supporting documents and printed literature that are part of the Application may be in another language, provided they are accompanied by an accurate translation of the relevant passages in the English language, in which case, for purposes of interpretation of the Application shall govern.

12 Documents Comprising the Application

- 12.1 The Application shall comprise the following:
 - a. Application Submission Letter, in accordance with ITA 13.1;
 - b. Eligibility: documentary evidence establishing the Applicant's eligibility, in accordance with ITA 14.1;
 - c. Qualifications: documentary evidence establishing the Applicant's qualifications, in accordance with ITA 15; and
 - d. Any other document required as specified in the PDS.
- 12.2 The Applicant shall furnish information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Application.

13 Application Submission Letter

13.1 The Applicant shall complete an Application Submission Letter as provided in Section IV (Application Forms). This Letter must be completed without any alteration to its format.

14 Documents Establishing the Eligibility of the Applicant

14.1 To establish its eligibility in accordance with ITA 4, the Applicant shall complete the eligibility declarations in the Application Submission Letter and Forms ELI (eligibility) 1.1 and 1.2, included in Section IV (Application Forms).

15 Documents Establishing the Qualifications of the Applicant

- 15.1 To establish its qualifications to perform the contract(s) in accordance with Section III, Qualification Criteria and Requirements, the Applicant shall provide the information requested in the corresponding Information Sheets included in Section IV (Application Forms).
- 15.2 Wherever an Application Form requires an Applicant to state a monetary amount, Applicants should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:
 - a For construction turnover or financial data required for each Year-Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted).
 - b Value of single Contract-Exchange rate prevailing on the date of the contract.
- 15.3 Exchange rates shall be taken from the publicly available source identified in the PDS. Any error in determining the exchange rates in the Application may be corrected by the Procuring Entity.
- 15.4 Applicants shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring

Entity, <u>a particular contractor or group of contractors</u> qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between Applicants, and thereby help to prevent any corrupt influence in relation to the procurement processor contract management.

- 15.5 The purpose of the information described in ITT 6.2 above overrides any claims to confidentiality which an Applicant may have. There can be no circumstances in which it would be justified for an Applicant to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for an Applicant's failure to disclose, or failure to provide required in formation on its ownership and control.
- 15.6 The Applicant shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to ownership and control which information on any changes to the information which was provided by the Applicant under ITT 6.3. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.
- 15.7 All information provided by the Applicant pursuant to these requirements must be complete, current and accurate as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Applicant shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.
- 15.8 If an Applicant fails to submit the information required by these requirements, its application will be rejected. Similarly, if the Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by an Applicant pursuant to these requirements, then the application will be rejected.
- 15.9 If information submitted by an Applicant pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the Applicant in relation to the procurement or contract management process, then:
 - a. If the procurement process is still ongoing, the Applicant will be disqualified from the procurement process,
 - b. If the contract has been awarded to that Applicant, the contract award will be set aside,
- 15.10 the Applicant will be referred to the relevant law enforcement authorities for investigation of whether the Applicant or any other persons have committed any criminal offence.
- 15.11 If an Applicant submits information pursuant to these requirements that is incomplete, in accurate or out-ofdate, or attempts to obstruct the verification process, then the consequences ITT 6.7 will ensue unless the Applicant can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the Applicant.

16 Signing of the Application and Number of Copies

- 16.1 The Applicant shall prepare one original of the documents comprising the Application as describedinITA11 and clearly mark it "ORIGINAL". The original of the Application shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Applicant. In case the Applicant is a JV, the Application shall be signed by an authorized representative of the JV on behalf of the JV and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized signatories.
- 16.2 The Applicant shall submit copies of the signed original Application, in the number specified in the PDS, and clearly mark them "COPY". In the event of any discrepancy between the original and the copies, the original shall prevail.

D. Submission of Applications

17 Sealing and Marking of Applications

- 17.1 The Applicant shall enclose the original and the copies of the Application in a sealed envelope that shall:
 - a Bear the name and address of the Applicant;
 - b Be addressed to the Procuring Entity, in accordance with ITA 17.1; and
 - c Bear thespecificidentification of this prequalification process indicated in the PDS 1.1.

17.2 The Procuring Entity will accept no responsibility for not processing any envelope that was not identified as required in ITA 16.1 above.

18 Deadline for Submission of Applications

- **18.1** Applicants may either submit their Applications by mail or by hand. Applications shall be received by the Procuring Entity at the address and no later than the deadline indicated in the PDS. When so specified in the PDS, Applicants have the option of submitting their Applications electronically, in accordance with electronic Application submission procedures specified in the **PDS**.
- 18.2 The Procuring Entity may, at its discretion, extend the deadline for the submission of Applications by amending the Prequalification Document in accordance with ITA 8, in which case all rights and obligations of the Procuring Entity and the Applicants subject to the previous deadline shall thereafter be subject to the deadline as extended.

19 Late Applications

19.1 The Procuring Entity reserves the right to accept applications received after the deadline for submission of applications, unless otherwise specified in the **PDS**. If late applications will be accepted, they must be received not later than the date specified in the **TDS** after the deadline for submission of applications.

20. Opening of Applications

- 20.1 The Procuring Entity shall open all Applications at the date, time and place specified in the **PDS.** Late Applications shall be treated in accordance with ITA 19.1.
- 20.2 Applications submitted electronically (if permitted pursuant to ITA 17.1) shall be opened in accordance with the procedures specified in the **PDS**.
- 20.2 The Procuring Entity shall prepare a record of the opening of Applications to include, as a minimum, the name of the Applicants. A copy of the record shall be distributed to all Applicants.

E. Procedures for Evaluation of Applications

21 Confidentiality

- 21.1 Information relating to the Applications, their evaluation and results of the prequalification shall not be disclosed to Applicants or any other persons not officially concerned with the prequalification process until the notification of prequalification results is made to all Applicants in accordance with ITA 28.
- 21.2 From the deadline for submission of Applications to the time of notification of the results of the prequalification in accordance with ITA 28, any Applicant that wishes to contact the Procuring Entity on any matter related to the prequalification process may do so only in writing.

22 Clarification of Applications

- 22.1 To assist in the evaluation of Applications, the Procuring Entity may, at its discretion, ask an Applicant for a clarification (including missing documents) of its Application, to be submitted within a stated reasonable period of time. Any request for clarification from the Procuring Entity and all clarifications from the Applicant shall be in writing.
- 22.1 If an Applicant does not provide clarifications and/or documents requested by the date and time set in the Procuring Entity's request for clarification, its Application shall be evaluated based on the information and documents available at the time of evaluation of the Application.

23 **Responsiveness of Applications**

23.1 The Procuring Entity may reject any Application which is not responsive to the requirements of the Prequalification Document. In case the information furnished by the Applicant is incomplete or otherwise requires clarification as per ITA 21.1, and the Applicant fails to provide satisfactory clarification and/or missing information, it may result in disqualification of the Applicant.

24 Margin of Preference

24.1 Unless otherwise specified in the **PDS**, a margin of preference shall not apply in the Tendering process resulting from this prequalification.

25 Nominated Subcontractors

- 25.1 Unless otherwise stated in the PDS, the Procuring Entity does not intend to execute any specific elements of the works by sub-contractors selected in advance by the Procuring Entity (so-called "Nominated Subcontractors").
- 25.2 The Applicant shall not propose to subcontract the whole of the Works or Goods. The maximum limit of subcontracting permitted under the contract may be specified by the Procuring Entity in the Tendering Document. The Procuring Entity, in ITA 25.2, may permit the Applicant to propose subcontractors for certain specialized parts of the contract as indicated there in as ("Specialized Subcontractors"). Applicants planning to use such Specialized Subcontractors shall specify, in the Application Submission Letter, the activity (ies) or parts of the Works proposed to be subcontracted along with details of the proposed subcontractors including their qualification and experience.

F. Evaluation of Applications and Prequalification of Applicants

26 Evaluation of Applications

- 26.1 The Procuring Entity shall use the factors, methods, criteria, and requirements defined in Section III, Qualification Criteria and Requirements, to evaluate the qualifications of the Applicants, and no other methods, criteria, or requirements shall be used. The Procuring Entity reserves the right to waive min or deviations from the qualification criteria if they do not materially affect the technical capability and financial resources of an Applicant to perform the Contract.
- 26.2 Subcontractors proposed by the Applicant shall be fully qualified and meet the minimum specific experience criteria as specified for their parts of the proposed contract for Works or Goods or non-consulting services. The subcontractor's qualifications shall not be used by the Applicant to qualify for the Works or Goods or non-consulting services unless their parts of the Works or Goods or non-consulting services were previously designated by the Procuring Entity in the PDS as can be met by Specialized Subcontractors, in which case:
 - i) The Specialized Subcontractors shall meet the minimum qualification requirements specified in Section III, and
 - The qualifications with respect to specific experience of the Specialized Subcontractor proposed by the ApplicantmaybeaddedtothequalificationsoftheApplicantforthepurposeoftheevaluation.
 Unless the Applicant has been determined prequalified on its own without taking into account the qualification and experience of the proposed specialized sub-contractor, the tender submitted by the Applicant shall include the same specialized sub-contractor failing which, such tender may be rejected unless a change in the specialized sub-contractor was requested by the Applicant and approved by the Procuring Entity subsequent to prequalification but before the tender submission deadline in accordance with ITA 30.
- 26.3 In case of multiple contracts, Applicants should indicate in their Applications the individual contract or combination of contracts in which they are interested. The Procuring Entity shall prequalify each Applicant for each lot and for a combination of contracts for which the Applicant has thereby indicated its interest and for which the Applicant meets the appropriate aggregate requirements the Eligibility and Qualification Criteria.
- 26.4 Further, in the case of multiple contracts, the Procuring Entity will prepare the Eligibility and Qualification Criteria Form for items 3.1, 3.2, 4.2(a) and 4.2(b) for each Lot, to be completed by applicants.
- 26.5 Only the qualifications of the Applicant shall be considered. The qualifications of other firms, including the Applicant's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Subcontractors in accordance with ITA 25.2 above) or any other firm(s) different from the Applicant shall not be considered.

27 Procuring Entity's Right to Accept or Reject Applications

27.1 The Procuring Entity reserves the right to accept or reject any Application, and to annul the prequalification process and reject all Applications at any time, without thereby incurring any liability to the Applicants.

28 Prequalification of Applicants

- 28.1 All Applicants who's Applications substantially meet or exceed the specified qualification requirements will be prequalified by the Procuring Entity. The Procuring Entity shall notify all Applicants in writing of the names of those Applicants who have been prequalified or conditionally prequalified. In addition, those Applicants who have been disqualified will be informed separately.
- 28.32 Applicants that have not been prequalified may write to the Procuring Entity to request, in writing, the grounds on which they were disqualified.

28 Invitation to Tender

- 29.1 Promptly after the notification of the results of the prequalification, the Procuring Entity shall invite Tenders from all the Applicants that have been prequalified or conditionally prequalified.
- 28.2 Applicants may be required to provide a Tender Security or a Tender-Securing Declaration acceptable to the Procuring Entity in the form and an amount to be specified in the tendering document.
- 28.3 The successful Applicant shall be required to provide a Performance Security as specified in the tendering document.

29 Changes in Qualifications of Applicants

30.1 Any change in the structure or formation of an Applicant after being prequalified in accordance with ITA 27 and invited to tender (including, in the case of a JV, any change in the structure or formation of any member and also including any change in any specialized subcontractor whose qualifications were considered to prequalify the Applicant) shall be subject to the written approval of the Procuring Entity prior to the deadline for submission of Tenders. Such approval shall be denied if (i) a prequalified applicant proposes to associate with a disqualified applicant or in case of a disqualified joint venture, any of its members; (ii) as a consequence of the change, the Applicant no longer substantially meets the qualification criteria set forth in Section III (Qualification Criteria and Requirements); or (iii) in the opinion of the Procuring Entity, the change may result in a substantial reduction in competition. Any such change should be submitted to the Procuring Entity not later than fourteen (14) days after the date of the Invitation to Tender.

31 Procurement Related Complaints and Administrative Review

- 31.1 The procedures for making a Procurement-related Complaint are as specified in the PDS.
- 31.2 A request for administrative review shall be made in the form provided.

SECTION II - PREQUALIFICATION DATA SHEET (PDS)

| Reference to ITC Clause | PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS |
|----------------------------|--|
| A. General | |
| ITA 1.1 | The Procuring Entity is: THE KISUMU NATIONAL POLYTECHNIC P.O.BOX 143-40100 KISUMU, KENYA |
| | The identification of the Invitation for Prequalification is: KE-KISUMUPOLY- 493473-CW-RFB SUPPLY, INSTALLATION, TESTING AND COMMISIONING 2NO LIFTS |
| | The particular type of contract is on Works |
| | The application is for supply of Lifts |
| | Prequalification will be based on Individual Contract |
| ITA 2 | The Source of funds shall be world Bank funded |
| ITA 5.2 | Maximum number of members in the JV shall be: [2] |
| B. Conten | ts of the Prequalification Document |
| ITA 8.1 | For clarification purposes, the Procuring Entity's address is: <i>THE KISUMU NATIONAL POLYTECHNIC P.O.BOX 143-40100 Technology Road</i> <i>KISUMU</i> Attention: <i>CHIEF PRINCIPAL</i> |
| | Physical Address: Technology Road |
| | Telephone: 0723446773 |
| | Electronic mail address: <i>info@kisumupoly.ac.ke</i> |
| | Web page: <u>www.kisumupoly.ac.ke</u> |
| ITA 8.2 | A pre-application meeting will be held on N/A at |
| | A pre-arranged Site sit will be held on At |
| ITA 8.3 | Questions and requests for clarification made in writing or by email shall reach the Procuring Entity not later than $\6^{TH}$ JUNE 2025. |
| ITA 8.5 | Minutes of the pre-arranged site visit and those of the pre-proposal meeting at the web page www.kisumupoly.ac.ke. |
| ITT 9.2 | Addendum issued shall be published at the website <u>www.kisumupoly.ac.ke</u> |
| ITA 8.2 | Pre-Application Meeting will be held: NO |
| C. Preparat | ion of Applications |
| ITA 12.1 (d) | |
| | Company Certificate of incorporation/registration; |
| | Valid Tax Compliance Certificate; accordance to |
| | Current and Valid Certificate of registration with National Construction Authority in |
| | |

| Reference to ITC Clause | | | | | | |
|----------------------------|--|--|--|--|--|--|
| A. General | | | | | | |
| | Electrical Installation Works (NCA 2 or above); | | | | | |
| | Current and Valid NCA contractor's practicing license in Electrical Installation Works | | | | | |
| | Current and Valid License with the Energy and Petroleum Regulatory Authority (EPRA) | | | | | |
| | in Class | | | | | |
| | A2 (Lift) or in Class A1 | | | | | |
| | Valid Copy of Current Single Business permit | | | | | |
| | The bid has been submitted in the format required by the procuring entity comprising of all the sections listed in of this document and with the document serialized; (<i>The tender must</i> | | | | | |
| | be downloaded as issued without altering the format). | | | | | |
| | be downloaded as issued without ditering the format). | | | | | |
| | Proof of payment for tender document if required; | | | | | |
| | Attach a duly filled, signed and stamped Form of Tender. | | | | | |
| ITA 15.2(b) | The source for determining exchange rates is <i>CBK BANK RATE</i> | | | | | |
| ITA 16.2 | In addition to the original, the number of copies to be submitted with the Application is: | | | | | |
| 1111 10.2 | [ONE] | | | | | |
| D Submissic | on of Applications | | | | | |
| ITA 17.1 | The deadline for Application submission is: | | | | | |
| 117 17.1 | Date: 11^{TH} JUNE 2025 | | | | | |
| | Time: 11:00 HRS | | | | | |
| | For Application submission purposes only, the Procuring Entity's address is: | | | | | |
| | Procuring Entity's address is the same as that indicated in 1.1 | | | | | |
| | | | | | | |
| | | | | | | |
| ITA 18.1 | | | | | | |
| | Late Applications will be returned unopened to the Applicants. | | | | | |
| | | | | | | |
| ITA 19.1 | The Procuring Entity will not accept late applications. | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| ITA 20.1 | The opening of the Applications shall be at THE KISUMU NATIONAL POLYTECHNIC | | | | | |
| | TECHNOLOGY ROAD MULTIPURPOSE HALL | | | | | |
| ITA 20.2 | N/A | | | | | |
| | | | | | | |
| | The electronic Application opening procedures shall be: | | | | | |
| | | | | | | |
| | [Insert a description of the electronic Application opening procedures.] | | | | | |
| | | | | | | |
| E. Procedur | es for Evaluation of Applications | | | | | |
| ITA 24.1 | A margin of preference "shall not" apply. | | | | | |
| ITA 25.1 | At this time the Procuring Entity "does not intend] to execute certain specific parts of | | | | | |
| | the Works by sub-contractors selected in advance. | | | | | |
| | | | | | | |
| ITA 25.2 | The parts of the Works for which the Procuring Entity permits Applicants to propose | | | | | |
| | Specialized Subcontractors are designated as follows: N/A | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | For the above-designated parts of the Works that may require Specialized | | | | | |
| | Subcontractors, the relevant qualifications of the proposed Specialized Subcontractors | | | | | |
| | will be added to the qualifications of the Applicant for the purpose of evaluation. | | | | | |

| Reference to ITC Clause | PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS |
|----------------------------|--|
| A. General | |
| ITA 31.1 | An Applicant wishes to make a Procurement-related Complaint, the Applicant should submit its complaint in writing (by the quickest means available, that is either by hand delivery or email), to: For the attention: <i>CATHRENE KELONYE</i> Title/position: <i>CHIEF PRINCIPAL</i> Procuring Entity: <i>THE KISUMU NATIONAL POLYTECHNC</i> Email address: <i>info@kisumupoly.ac.ke</i> In summary, at this stage, a Procurement-related Complaint may challenge any of the following: the terms of the Prequalification Documents; and the Procuring Entity's decision not to prequalify an Applicant. |

SECTION III - QUALIFICATION CRITERIA AND REQUIREMENTS

- 1. This section contains all the methods, criteria, and requirements that the Procuring Entity shall use to evaluate Applications, all in one Form "Eligibility and Qualification Criteria". The information to be provided in relation to each requirement and the definitions of the corresponding terms are included in the Form.
- 2. The Procuring Entity shall insert one Form for <u>each Lot or Contract</u> in case of multiple contracts.
- 3. This form is generic and refers to works and construction. In case of Supply of Goods or Non-Consulting Services, the form shall be amended to read Goods or Non-Consulting Services as appropriate.

| Elig | ibility and Quali | fication Criteria | Compliance R | | Document/ Form | | |
|-------|---|--|--------------------------|--------------------------|--------------------------|------------|---|
| FOR | CONTRACT | | | | | | |
| | | | | Joint Venture (| existing or intended |) | – Submission |
| No. | Subject | Requirement | Single Entity | All Members Combined | Each Member | One Member | Requirement |
| 1. El | igibility | | | | | | |
| 1.1 | Nationality | Nationality in accordance with | Must meet | Must meet | Must meet | N/A | Forms $ELI - 1.1$ and |
| | | ITA 5.6 | requirement | requirement | requirement | | 1.2, with attachments |
| 1.2 | Conflict of Interest | No conflicts of interest in accordance with ITA 5.7 | Must meet requirement | Must meet requirement | Must meet requirement | N/A | Application Submission Letter |
| 1.3 | Eligibility | Not declared ineligible by not meeting any of the conditions in ITA 5 and 6. | Must meet requirement | Must meet requirement | Must meet requirement | N/A | Application Submission Letter |
| 1.4 | State-owned Entity in Kenya | Applicant required to meet conditions of ITA 5.9 | Must meet requirement | Must meet requirement | Must meet requirement | N/A | Forms ELI -1.1 and 1.2, with attachments |
| 1.5 | United Nations resolution or laws of Kenya | Not having been excluded as a result of prohibition in the laws of Kenya or official regulations against commercial relations with Kenya, or by an act of compliance with UN Security Council resolution, both in accordance with ITA 6.1 and 6.2 and Section V. | Must meet requirement | Must meet requirement | Must meet requirement | N/A | Forms ELI – 1.1 and 1.2, with attachments |

| Eligi | ibility and Qualifica | tion Criteria | Compliance | e Requirement | Document/ Form | | |
|-------------|--|--|---|-------------------------------|---|------------|----------------------------------|
| | | | | Joint Ventu | re (existing o | r intended | |
| No | Subject | Requirement | Single Entity | All Members Combined | Each Member | One Member | Submission Requirement |
| 2. H | istorical Contract N | on-Performance | | | · | • | · |
| 2.1 | History of Non- Performing Contracts | Non-performance of a contract ¹ did not occur as a result of contractor's default since 1 st January 2020. | Must meet requiremen t ¹ | Must meet requirement s | Must meet requireme nt ² | N/A | Form CON-2 |
| 2.2 | Suspension Based on Execution of Tender/Proposal Securing Declaration by the Procuring Entity | Not under suspension based on execution of a Tender/Proposal Securing Declaration pursuant to ITA 5.10. | Must meet requiremen t | Must meet requirement | Must meet requireme nt | N/A | Application Submission Letter |
| 2.3 | Pending Litigation | Applicant's financial position and prospective long-term profitability still sound according to criteria established in 3.1 below and assuming that all pending litigation will be resolved against the Applicant | Must meet requiremen t | N/A | Must meet requireme nt | N/A | Form CON – 2 |
| 2.4 | Litigation History | No consistent history of court/arbitral award decisions against the Applicant ³ since 1 st January 2022 | Must meet requiremen t | Must meet requirement | Must meet requireme nt | N/A | Form CON – 2 |
| 3. Fi | nancial Situation and | Performance | 1 | 1 | 1 | 1 | 1 |
| 3.1 | Financial Capabilities | (i) The Applicant shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of | Must meet requiremen t | Must meet requirement | N/A | N/A | Form FIN – 3.1, with attachments |

¹ Nonperformance, as decided by the Procuring Entity, shall include all contracts where (a) nonperformance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Nonperformance shall not include contracts where Procuring Entitys decision was overruled by the dispute resolution mechanism. Nonperformance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the applicant have been exhausted.

² This requirement also applies to contracts executed by the Applicant as JV member.

³ The Applicant shall provide accurate information on the related Application Form about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the last five years. A consistent history of awards against the Applicant or any member of a joint venture may result in rejection of the Application.

| Eligibility and Qualification Criteria | | Compliance Requirements | | | | Document/ Form | |
|--|--|--|------------------------------|--|---|---|---------------------------|
| No | Subject | Requirement | Single Entity | Joint Ventur All Members Combined | re (existing or Each Member | r intended One Member | Submission Requirement |
| | | credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as 15,000,000.00 for the subject contract(s) net of the Applicants other commitments (ii) The Applicant shall also demonstrate, to the satisfaction of the Procuring Entity, that it has adequate sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments. | Must meet requiremen t | Must meet requirement | N/A | N/A | |
| | | (iii) The audited balance sheets or, if not required by the laws of Kenya, other financial statements acceptable to the Procuring Entity, for the last <i>3</i> years shall be submitted and must demonstrate the current soundness of the Applicant's financial position and indicate its prospective long-term profitability. | Must meet requiremen t | N/A | Must meet requireme nt | N/A | |
| 3.2 | Average Annual Construction Turnover | Minimum average annual construction turnover of KENYA SHILLINGS <i>FIFTY MILLION(50,000,000.00</i> calculated as total certified payments received for contracts in progress and/or completed within the last 5 years, divided by 5 years | Must meet requiremen t | Must meet requirement | Must meet [insert number] %, [insert percentage in words] of the requireme nt | Must meet [insert number] %, [insert percentage in words] of the requirement | Form FIN – 3.2 |
| <u>4. Ех</u> 4.1 | xperience General | Experience under construction contracts | Must meet | N/A | Must most | N/A | Form EXP – 4.1 |
| 4.1 (a) | Construction | Experience under construction contracts in the role of prime contractor, JV | requiremen | IN/A | Must meet requireme | 1N/A | FOR $EAP = 4.1$ |

| Elig | Eligibility and Qualification Criteria | | | ualification Criteria Compliance Requirements I H | | | |
|------------|--|--|---|---|---------------------------------|---|---------------------------|
| No | Subject | Requirement | Single Entity | Joint Ventur All Members Combined | e (existing o Each Member | r intended One Member | Submission Requirement |
| | Experience | member, subcontractor, or management contractor for at least the last 5 years , starting 1 st January 2020 . | t | | nt | | |
| 4.2 (a) | Specific Construction & Contract Management Experience | (i) A minimum number of 5 similar contracts specified below that have been satisfactorily and substantially ⁴ completed as a prime contractor, joint venture member ⁵ , management contractor or subcontractor between 1st January 2020 and Application submission deadline: | Must meet requiremen t | Must meet requirement 6 | N/A | Must meet the following requirements for the key activities listed below [list key activities and the corresponding minimum requirements to be met by one member otherwise state: "N/A"] | Form EXP 4.2(a) |
| 4.2 (b) | | For the above and any other contracts [substantially completed and under implementation] as prime contractor, joint venture member, or sub-contractor between 1st January 2020 and Application submission deadline, a minimum construction experience in the following key activities successfully completed ⁷ : [list key activities indicating | Must meet requiremen ts [Specify activities that may be met through a specialized subcontract | Must meet requirement s [Specify activities that may be met through a Specialized | N/A | Must meet the following requirements for key activities listed below [<i>if</i> applicable, out of the key activities in the first column of | Form EXP – 4.2 (b) |

⁴ Substantial completion shall be based on 80% or more works completed under the contract.

⁵ For contracts under which the Applicant participated as a joint venture member or sub-contractor, only the Applicant's share, by value, and role and responsibilities shall be considered to meet this requirement.

⁶ In the case of JV, the value of contracts completed by its members shall not be aggregated to determine whether the requirement of the minimum value of a single contract has been met. Instead, each contract performed by each member shall satisfy the minimum value of a single contract as required for single entity. In determining whether the JV meets the requirement of total number of contracts, only the number of contracts completed by all members each of value equal or more than the minimum value required shall be aggregated.

⁷ Volume, number or rate of production of any key activity can be demonstrated in one or more contracts combined if executed during same time period.

| Elig | ibility and Qualific | ation Criteria | Compliance Requirements | | | | Document/ Form |
|------------|--|---|--|--|---------------------------------|--|---------------------------|
| No | Subject | Requirement | Single Entity | Joint Ventur All Members Combined | e (existing o Each Member | r intended One Member | Submission Requirement |
| 4.2 | Specific | volume, number or rate of production as applicable. Under 4.2(a), specified requirements define similarity of contracts, whereas the key activities or production rates to be specified under 4.2 (b) define the required capability of the Applicant to execute the Works. There shall not be any inconsistency or repetition of requirement between 4.2(a) and 4.2(b). For the rate of production, specify that the rate of production shall be on the basis of either the average during the entire specified period OR the rate of annual production in any 12-month period in the specified period,]⁸ | or, if permitted in accordance with ITA 25.2] | Subcontract or, if permitted in accordance with ITA 25.2] | | this 4.2 b), list key activities (volume, number or rate of production as applicable) and the corresponding minimum requirements that have to be met by one member, otherwise this cell should state: "N/A".] | |
| 4.3 (a) | Specific Management Experience in supply of goods | (i) A minimum number of 5 similar contracts specified below that have been satisfactorily and substantially ⁹ completed as a prime supplier, joint | Must meet requiremen t | Must meet requirement | N/A | Must meet the following requirements for the key activities listed below [list key activities and the corresponding minimum requirements to be met by one member otherwise state: "N/A"] | Form EXP 4.3(a) |

⁸ The minimum experience requirement for multiple contracts will be the sum of the minimum requirements for respective individual contracts, unless specified otherwise.

⁹ Substantial completion shall be based on 80% or more works completed under the contract.

| Eligibility and Qualification Criteria | | | Compliance Requirements | | | Document/ Form | |
|--|---------|---|--|--|--------------------------|---|---------------------------|
| | | | | Joint Ventur | re (existing or intended | | |
| No | Subject | Requirement | Single Entity | All Members Combined | Each Member | One Member | Submission Requirement |
| | | venture member ¹⁰ , management contractor or subcontractor between 1st January 2020 and Application submission deadline: | | 11 | | | |
| | | The similarity of the contracts shall be based on the following: [Based on Section VII, Scope of goods contracts, specify the minimum key requirements in terms of physical size, complexity, construction method, technology and/or other characteristics including part of the requirements that may be met by Specialized Subcontractors, if permitted in accordance with ITA 25.2] | | | | | |
| 4.3 (b) | | For the above and any other contracts [substantially completed and under implementation] as prime supplier, joint venture member, or sub-contractor between 1st January [insert year] and Application submission deadline, a minimum construction experience in the following key activities successfully completed ¹² : [list key activities indicating volume, number or rate of production as applicable. | Must meet requiremen ts [Specify activities that may be met through a specialized subcontract or, if permitted in | Must meet requirement s [Specify activities that may be met through a Specialized Subcontract or, if permitted in | N/A | Must meet the following requirements for key activities listed below [<i>if</i> applicable, out of the key activities in the first column of this 4.3 b), list key activities (volume, number | Form EXP – 4.2 (b) |

¹⁰ For contracts under which the Applicant participated as a joint venture member or sub-contractor, only the Applicant's share, by value, and role and responsibilities shall be considered to meet this requirement.

¹¹ In the case of JV, the value of contracts completed by its members shall not be aggregated to determine whether the requirement of the minimum value of a single contract has been met. Instead, each contract performed by each member shall satisfy the minimum value of a single contract as required for single entity. In determining whether the JV meets the requirement of total number of contracts, only the number of contracts completed by all members each of value equal or more than the minimum value required shall be aggregated.

¹² Volume, number or rate of production of any key activity can be demonstrated in one or more contracts combined if executed during same time period.

| Elig | Eligibility and Qualification Criteria | | Compliance | Document/ Form | | | | |
|---------|--|--|---------------------------------|--|---------------------------------|--|------------|--|
| No · | Subject | Requirement | Single Entity | Joint Ventur All Members Combined | e (existing o Each Member | r intended One Member | Submission | |
| | | Under 4.3(a), specified requirements define similarity of contracts, whereas the key activities or production rates to be specified under 4.2 (b) define the required capability of the Applicant to execute the Works. There shall not be any inconsistency or repetition of requirement between 4.3(a) and 4.3(b). For the rate of production, specify that the rate of production shall be on the basis of either the average during the entire specified period OR the rate of annual production in any 12-month period in the specified period,] ¹³ | accordance with ITA 25.2] | accordance with ITA 25.2] | | or rate of production as applicable) and the corresponding minimum requirements that have to be met by one member, otherwise this cell should state: "N/A".] | | |

¹³ The minimum experience requirement for multiple contracts will be the sum of the minimum requirements for respective individual contracts, unless specified otherwise.

SECTION IV- APPLICATION FORMS

1. <u>Application Submission Letter</u>

To:*[insert full name of Procuring Entity]* We, the undersigned, apply to be prequalified for the referenced ITT and declare that:

- *a)* No reservations: We have examined and have no reservations to the Prequalification Document, including Addendum(s) No(s), issued in accordance with ITA 8: *[insert the number and issuing date of each addendum].*
- b) No conflict of interest: We have no conflict of interest in accordance with ITA 5.7;
- c) Eligibility: We (and our subcontractors) meet the eligibility requirements as stated ITA 5, we have not been suspended by the Procuring Entity based on execution of a Tender/Proposal-Securing Declaration in accordance with ITA 5.8;

Suspension and Debarment: We, along with any of our subcontractors, suppliers, consultants, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the PPRA. Further, we are not ineligible under the Kenya laws or official regulations or pursuant to a decision of the United Nations Security Council;

State-owned enterprise or institution: [select the appropriate option and delete the other] [We are not a stateowned enterprise or institution] / [We are a state-owned enterprise or institution but meet the requirements of ITA5.9];

- (g) Commissions, gratuities, fees: We declare that the following commissions, gratuities, or fees have been paid or are to be paid with respect to the prequalification process, the corresponding Tendering process or execution of the Contract:

| Name of Recipient | Address | Reason | Amount |
|---|---|-------------------|---|
| [insert full name for each occurrence] | [insert street/ number/city/country] | [indicate reason] | [specify amount currency, value, exchange rate and KENYA SHILLING equivalent] |
| | | | |
| | | | |
| | | | |

[If no payments are made or promised, add the following statement: "No commissions or gratuities have been or are to be paid by us to agents or any third party relating to this Application]



- (h) Not bound to accept: We understand that you may cancel the prequalification process at any time and thatyouareneitherboundtoacceptanyApplicationthatyoumayreceivenortoinvite the prequalified Applicants to Tender for the contract subject of this Prequalification process, without incurring any liability to the Applicants, in accordance with ITA 26.1.
- (i) True and correct: All information, statements and description contained in the Application are in all respect true, correct and complete to the best of our knowledge and belief.

| Signed | [insertsignature(s)ofanauthorizedrepresentative(s)oftheApplicant] |
|-----------------------------|---|
| | [insert full name of person signing the Application] [insert capacity of person signing the Application] |
| | Application for and on behalf of: Applicant's [insert full name of Applicant or the name of the JV] |
| Address | [insert street number/town or city/country address] |
| Dated on | [insert day number] day of [insert month], [insert year] |
| [For a joint venture either | all members shall sign or only the authorized representative in which case t |

[For a joint venture, either all members shall sign or only the authorized representative, in which case the power of attorney to sign on behalf of all members shall be attached]



2. Form ELI -1.1 - Applicant Information Form

Date:[insert day, month, year]

Page.....[insert page number] of [insert total number] pages

| Applicant's name | | | | |
|---|--|--|--|--|
| [insert full name] | | | | |
| In case of Joint Venture (JV), name of each member: | | | | |
| [insert full name of each member in JV] | | | | |
| Applicant's actual or intended country of registration: | | | | |
| [indicate country of Constitution] | | | | |
| Applicant's actual or intended year of incorporation: | | | | |
| [indicate year of Constitution] | | | | |
| Applicant's legal address [in country of registration]: | | | | |
| [insert street/ number/ town or city/ country] | | | | |
| Applicant's authorized representative information | | | | |
| Name: [insert full name] | | | | |
| Address: [insert street/ number/ town or city/ country] | | | | |
| Telephone/Fax numbers: [insert telephone/fax numbers, including country and city codes] | | | | |
| E-mail address: [indicate e-mail address] | | | | |
| 1. Attached are copies of original documents of | | | | |
| Articles of Incorporation (or equivalent documents of constitution or association), and/or | | | | |
| documents of registration of the legal entity named above, in accordance with ITA 5.6. | | | | |
| \Box In case of JV, letter of intent to form JV or JV agreement, in accordance with ITA 5.3. | | | | |
| □ In case of state-owned enterprise or institution, in accordance with ITA 5.9 documents | | | | |
| establishing: | | | | |
| Legal and financial autonomy | | | | |
| Operation under commercial law | | | | |
| Establishing that the Applicant is not under supervision of the Procuring Entity | | | | |
| 2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership. | | | | |

2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.



3. Form ELI-1.2 - Applicant's JV Information Form

[The following form is additional to Form ELI–1.1., and shall be completed to provide information relating to each JV member (incase the Applicant is a JV) as well as any Specialized Subcontractor proposed to be used by the Applicant for any part of the Contract resulting from this prequalification]

Date: [insert day, month, year]

ITT No. and title: [insert ITT number and title]

Page.....[insert page number] of [insert total number] pages

| Applicant name: |
|--|
| [insert full name] |
| Applicant's JV Member's name: |
| [insert full name of Applicant's JV Member] |
| Applicant's JV Member's country of registration: |
| [indicate country of registration] |
| Applicant JV Member's year of constitution: |
| [indicate year of constitution] |
| Applicant JV Member's legal address in country of constitution: |
| [insert street/ number/ town or city/ country] |
| Applicant JV Member's authorized representative information |
| Name: [insert full name] |
| Address: [insert street/ number/ town or city/ country] |
| Telephone/Fax numbers: [insert telephone/fax numbers, including country and city codes] |
| E-mail address: [indicate e-mail address] |
| 1. Attached are copies of original documents of |
| Articles of Incorporation (or equivalent documents of constitution or association), and/or |
| registration documents of the legal entity named above, in accordance with ITA 5.6 |
| In case of a state-owned enterprise or institution, documents establishing legal and financial |
| autonomy, operation in accordance with commercial law, and they are not under the supervision of |
| the Procuring Entity, in accordance with ITA 5.9. |
| |

2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.



4. Form CON 2 - Historical Contract Non-Performance, and Pending Litigation and Litigation History

[The following table shall be filled in for the Applicant and for each member of a Joint Venture] Applicant's Name: [insert full name] Date: [insert day, month, year] Joint Venture Member's Name: [insert full name] ITT No. and title: [insert ITT number and title] Page [insert page number] of [insert total number] pages

| | 1 | <u> </u> | 1 | | |
|-------------------------|----------|------------------------------|---------------|---|----------------------------|
| Non-Perfor Requireme | | Contracts in | accordance | with Section III, Qualification Criteria and | |
| | | t non-perform | nance did no | ot occur since 1 st January [insert year] specified in | Section III, Qualification |
| | | uirements, Su | | | |
| | | | | 1 st January [insert year] specified in Section III, (| Qualification Criteria and |
| | | equirement 2 | | | - |
| Year | Non- | - performed | Contract Id | lentification | Total Contract Amount |
| | porti | on of | | | (current value, currency, |
| | contr | ract | | | exchange rate and |
| | | | | | KENYA SHILLING |
| | | | | | equivalent) |
| [insert | [inse | rt amount | Contract Ic | lentification: [indicate complete contract name/ | [insert amount] |
| year] | and p | percentage] | | nd any other identification] | |
| | | | | rocuring Entity: [insert full name] | |
| | | | | Procuring Entity: [insert street/city/country] | |
| | | | | for nonperformance: [indicate main reason(s)] | |
| | <u> </u> | | | ction III, Qualification Criteria and Requirements | |
| | - | 0 0 | | nce with Section III, Qualification Criteria and Re | |
| | | | accordance v | vith Section III, Qualification Criteria and Require | ements, Sub-Factor 2.3 as |
| ndicated b | elow. | | | | |
| Year of | | Amount in dispute (currency) | | Contract Identification | Total Contract |
| dispute | | | | | Amount (currency), |
| | | | | | USD Equivalent |
| | | | | | (exchange rate) |
| insert yea | ır] | [insert amount] | | Contract Identification: [indicate complete | [insert amount] |
| | | | | contract name, number, and any other | |
| | | | | identification] | |
| | | | | Name of Procuring Entity: [insert full name] | |
| | | | | Address of Procuring Entity: [insert | |
| | | | | street/city/country] | |
| | | | | Matter in dispute: [indicate main issues in | |
| | | | | dispute] | |
| | | | | Party who initiated the dispute: [indicate | |
| | | | | "Procuring Entity" or "Contractor"] | |
| | | | | Status of dispute: [Indicate if it is being | |
| | | | | treated by the Adjudicator, under Arbitration | |
| . | | | | or being dealt with by the Judiciary] | |
| | | ory in accord | ance with s | Section III, Qualification Criteria and | |
| Requirem | | · ,• • • · | | | |
| | lo Lit | igation Histo | ory in accor | dance with Section III, Qualification Criteria and | Requirements, Sub-Factor |
| 2.4. | • • • | · • • • | . 1 | | |
| | 0 | • | in accordance | ce with Section III, Qualification Criteria and Req | urrements, Sub-Factor 2.4 |
| as indicate | ed bel | | | | T 10 |
| Year of | | Outcome as | | Contract Identification | Total Contract |
| award | | percentage | of Net | | Amount (currency), |
| | | Worth | | | USD Equivalent |
| | | | | | (exchange rate) |



| [insert year] | [insert percentage] | Contract Identification: [indicate complete | [insert amount] |
|---------------|---------------------|--|-----------------|
| | | contract name, number, and any other | |
| | | identification] | |
| | | Name of Procuring Entity: [insert full name] | |
| | | Address of Procuring Entity: [insert | |
| | | street/city/country] | |
| | | Matter in dispute: [indicate main issues in | |
| | | dispute] | |
| | | Party who initiated the dispute: [indicate | |
| | | "Procuring Entity" or "Contractor"] | |
| | | Reason(s) for Litigation and award decision | |
| | | [indicate main reason(s)] | |



5. Form FIN – 3.1 - Financial Situation and Performance

Financial Situation and Performance

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Date: [insert day, month, year]

Page..... [insert page number] of [insert total number] pages

1. Financial data

| Type of Financial information in | | | previous _[inse | ert number] ye | ears, |
|--|--------------|----------------|-----------------|-------------------|-------------|
| (currency) | [insert in w | - | ency, exchang | e rate* USD | equivalent) |
| | (amount m | currency, curr | ency, exchange | , contract , cost | equivalent) |
| | Year 1 | Year 2 | Year 3 | Year4 | Year 5 |
| Statement of Financial Position (I | nformation f | From Balance | Sheet) | | |
| Total Assets (TA) | | | | | |
| Total Liabilities (TL) | | | | | |
| Total Equity/Net Worth (NW) | | | | | |
| Current Assets (CA) | | | | | |
| | | | | | |
| Current Liabilities (CL) | | | | | |
| Working Capital (WC) | | | | | |
| Information from Income Stateme | ent | | | | |
| Total Revenue (TR) | | | | | |
| Profits Before Taxes (PBT) | | | | | |
| Cash Flow Information | | | | | |
| Cash Flow from Operating Activities | | | | | |

* Refer ITA 14 for the exchange rate



5.2 Sources of Finance

[The following table shall be filled in for the Applicant and all parties combined in case of a Joint Venture]

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

| No. | Source of finance | Amount (Kenya shilling equivalent) |
|-----|-------------------|------------------------------------|
| 1 | | |
| 2 | | |
| 3 | | |
| | | |

5.3 Financial documents

The Applicant and its parties shall provide copies of financial statements for *[number]* years pursuant Section III, Qualifications Criteria and Requirements, Sub-factor 3.1. The financial statements shall:

- a) Reflect the financial situation of the Applicant or in case of JV member, and not an affiliated entity (such as parent company or group member).
- b) Be independently audited or certified in accordance with local legislation.
- c) Be complete, including all notes to the financial statements.
- d) Correspond to accounting periods already completed and audited.
 - \Box Attached are copies of financial statements¹ for the *[number]* years required above; and complying with the requirements

¹If the most recent set of financial statements is for a period earlier than 12 months from the date of Application, the reason for this should be justified.

6 Form FIN - 3.2 - Average Annual Construction or Supply Contracts Turnover

[The following table shall be filled in for the Applicant and for each member of a Joint Venture] Applicant's

Name: [insert full name]

Date: [insert day, month, year]

Joint Venture Member Name: [insert full name]

ITT No. and title: [insert ITT number and title]

Page.....[insert page number] of[insert total number] pages Table A (Complete

if Contractor)

| Annual turnover | Annual turnover data (construction only) | | | | | |
|-----------------------------|--|---|----------------|--|--|--|
| Year | Amount Currency | Exchange rate* | USD equivalent | | | |
| [indicate calendar year] | [insert amount and indicate currency] | | | | | |
| | | | | | | |
| | | Average Annual Construction Turnover ** | | | | |

- * Refer ITA 14 for date and source of exchange rate.
- ** Total Kenya shilling equivalent for all years divided by the total number of years. See Section III, Qualification Criteria and Requirements, 3.2.



Table B (Complete if Supplier)

| Annual turnover | Annual turnover data (Supply contracts) | | | | | |
|-----------------|---|----------------|----------------|--|--|--|
| Year | Amount | Exchange rate* | USD equivalent | | | |
| | Currency | | | | | |
| [indicate | [insert amount and indicate | | | | | |
| calendar year] | currency] | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | • | Average Annual | | | | |
| | | Construction | | | | |
| | | Turnover ** | | | | |

Refer ITA 15 for date and source of exchange rate.

** Total Kenya shilling equivalent for all years divided by the total number of years. See Section III, Qualification Criteria and Requirements, 3.2.

7 Form EXP - 4.1 - General Construction or Supply or service Contract Experience (*Select one*)

[*The following table shall be filled in for the Applicant and in the case of a JV Applicant, each Member*] Applicant's Name: [*insert full name*]

Date: [insert day, month, year]

Joint Venture Member Name: [insert full name]

ITT No. and title: [insert ITT number and title]

Page [insert page number] of [insert total number] pages

[Identify contracts that demonstrate continuous construction work over the past [number] years pursuant to Section III, Qualification Criteria and Requirements, Sub-Factor 4.1. List contracts chronologically, according to their commencement (starting) dates.]

| Starting | Ending | Contract Identification | Role of |
|-----------|-----------|--|--------------------|
| Year | Year | | Applicant |
| [indicate | [indicate | Contract name: [insert full name] | [insert "Prime |
| year] | year] | Brief Description of the Works performed by the | Contractor" or "JV |
| | | Applicant: [describe works performed briefly] | Member" or "Sub- |
| | | Amount of contract: [insert amount in currency, mention currency | contractor" or |
| | | used, exchange rate and KENYA SHILLING equivalent*] | "Management |
| | | Name of Procuring Entity: [indicate full name] | Contractor"] |
| | | Address: [indicate street/number/town or city/country] | |
| | | Contract name: [insert full name] | [insert "Prime |
| | | Brief Description of the Works performed by the | Contractor" or "JV |
| | | Applicant: [describe works performed briefly] | Member" or "Sub- |
| | | Amount of contract: [insert amount in currency, mention currency | contractor" or |
| | | used, exchange rate and KENYA SHILLING equivalent*] | "Management |
| | | Name of Procuring Entity: [indicate full name] | Contractor"] |
| | | Address: [indicate street/number/town or city/country] | |
| | | Contract name: [insert full name] | [insert "Prime |
| | | Brief Description of the Works performed by the | Contractor" or "JV |
| | | Applicant: [describe works performed briefly] | Member" or "Sub- |
| | | Amount of contract: [insert amount in currency, mention currency | contractor" or |
| | | used, exchange rate and Kenya shillings equivalent*] | "Management |
| | | Name of Procuring Entity: [indicate full name] | Contractor"] |
| | | Address: [indicate street/number/town or city/country] | |

* Refer ITA 15 for date and source of exchange rate.



8 Form EXP - 4.2(a) - Specific Construction and Contract Management Experience or Supply or service Contract Experience (*Select one*)

[The following table shall be filled in for contracts performed by the Applicant, each member of a Joint Venture, and Specialized Sub-contractors]

Applicant's Name: [insert full name]

Date: [insert day, month, year]

Joint Venture Member Name: [insert full name]

ITT No. and title: [insert ITT number and title]

Page...... [insert page number] of...... [insert total number] pages

| Similar Contract No. | Information | | | |
|--|--|---------------------|-----------------------|-------------|
| [insert number] of [insert number of | | | | |
| similar contracts required] | | | | |
| Contract Identification | [insert contrac | ct name and num | ber, if applicable] | |
| Award date | [insert day, m | onth, year, e.g., 1 | 5 June, 2015] | |
| Completion date | [insert day, m | onth, year, e.g., 0 | 03 October, 2017] | |
| Role in Contract | | | | a 1 |
| [check the appropriate box] | Prime | Member in | Management | Sub- |
| | Contractor \Box | JV | Contractor | |
| | | | | |
| Total Contract Amount | [insert total con | ntract amount in | KENYA SHILLING | [insert |
| | local currency | 1 | Exchange rate and | total |
| | | | contract amount in | KENYA |
| | | | SHILLING | |
| | | | equivalent] * | |
| If member in a JV or sub-contractor, | [insert a | [insert total | [insert exchange rate | e and total |
| specify share in value in total Contract | percentage | contract amount i | ncontract amount in K | ENYA |
| amount and roles and responsibilities | amount] | local currency] | SHILLING equivalen | nt] * |
| | [insert roles an | d responsibilities] | 1 | |
| Procuring Entity's Name: | [insert full nar | ne] | | |
| Address: | [indicate stree | et / number / town | or city / country] | |
| Telephone/fax number | [insert telephone/fax numbers, including country and | | | |
| E-mail: | city area codes] | | | |
| | [insert e-mail | address, if availd | ıble] | |



9 Form EXP - 4.2(a) (cont.) - Specific Construction and/or Contract Management Experience (cont.)

| Similar Contract No. [insert number] of [insert number of similar contracts required] | Information |
|---|---|
| Description of the similarity in accordance with Sub-Factor 4.2(a) of Section III: | |
| 1. Amount | [insert amount in local currency, exchange rate, KENYA SHILLING in words and in Figures] |
| 2. Physical size of required works items | [insert physical size of items] |
| 3. Complexity | [insert description of complexity] |
| 4. Methods/Technology | [insert specific aspects of the methods/technology involved in the contract] |
| 5. Construction rate for key activities | [insert rates and items] |
| 6. Other Characteristics | [insert other characteristics as described in Section VII, Scope of Works] |



10 Form EXP - 4.2(b) - Construction Experience or Supply or service contract in Key Activities (*select one*)

Applicant's Name: [insert full name]

Date: [insert day, month, year]

Applicant's JV Member's Name: [insert full name]

Sub-contractor's Name...... (as per ITA 24.2 and 24.3): [insert full name]

ITT No. and title: [insert ITT number and title]

Page.....[insert page number] of......[insert total number] pages

All Sub-contractors for key activities must complete the information in this form as per ITA 24.2 and 24.3 and Section III, Qualification Criteria and Requirements, 4.2.

1. Key Activity No. One: *[insert brief description of the Activity, emphasizing its specificity]* Total Quantity of Activity under the contract: ______

| | Information | | | | | |
|--|---|----------------|------------------------------------|--|---|--|
| Contract Identification | [insert contrac | t nan | ne and num | ber, if applicab | ole] | |
| Award date | [insert day, month, | | h, year, e.g., 15 June, 2015] | | | |
| Completion date | [insert day, mo | nth, | year, e.g., (| 03 October, 201 | [7] | |
| Role in Contract [check the appropriate box] | Prime Contractor □ | Men JV □ | nber in | Management Contractor | Sub-contractor | |
| Total Contract Amount | [insert total co in contract cur | | | KENYA SHIL exchange rate contract amou SHILLING equ | and total nt in KENYA | |
| Quantity (Volume, number or rate of production, as applicable) performed under the contract per year or part of the year [Insert extent of participation indicating actual quantity of key activity successfully completed in the role performed] | Total quantity the contract (i) | n | Percentage participatic (ii) | | Actual Quantity Performed (i) x (ii) | |
| Year 1 | | | | | | |
| Year 2 | | | | | | |
| Year 3 | | | | | | |
| Year 4 | | | | | | |
| Procuring Entity's Name: | [insert full nam | e] | | | | |
| Address: Telephone/fax number E-mail: | [indicate street] [insert telephon city area codes] [insert e-mail ad | e/fax | numbers, in | cluding country | | |



2. Activity No. Two

3.

| | Information |
|--------------------------------------|---|
| | |
| | |
| | |
| Description of the key activities in | |
| accordance with Sub-Factor 4.2(b) of | |
| | |
| Section III: | |
| | [insert response to inquiry indicated in left |
| | |
| | column] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

PART 2 - WORKS REQUIREMENTS

(Select one)



SECTION V - SCOPE OF WORKS,

- 1. Description of the Works
- 2. Construction Period.
- 3. Site and Other Data.

A. <u>GENERAL SPECIFICATIONS</u>

1. **REGULATIONS**

All Apparatus and materials supplied and work carried out shall comply with the provisions of the

following documents: -

- (a) The latest Edition of I.E.E Regulations
- (b) The Kenya Power and Lighting Co. Ltd By-laws
- (c) The Electric Power Act and the Rules made there under.
- (d) EN81-20:2014 and EN81-50:2014
- (e) The requirements of the Chief Inspector of Factories for the Kenya Government, Factories Act Chapter 514 SECTION 30. The contractor shall avail all the certificates.
- (f) Any other regulations governing lift and escalator installations in Kenya
- (g) Kenya Bureau of Standards (KBS) lifts standard KS 2169 1

2. BUILDER'S WORK BY LIFT CONTRACTOR A. Lifts Shaft

- (i) The dimensions of the lifts shafts are 1800 (width) by 2200 mm (depth) for Passenger Lifts (1NO.)– It shall be the responsibility of the lifts Contractor to verify the dimensions of the lifts shaft before placing any orders for importation. The Employer/employer's representative will bear neither responsibility nor liability for any approximate dimensions issued – as a guide to the Contractor.
- (ii) The lifts Contractor shall provide cut-outs for hall buttons, hall position indicators, hall lanterns, shaft ventilations and fire man's switch.

It shall be the responsibility of the lifts Contractor to provide, properly position and fix the hall buttons, hall indicators, hall lanterns, fire man's switches, door frames, sills and architraves.

- (iii) The lifts Contractor shall provide the necessary scaffolding for erection of equipment and hoarding to secure the work area from general public and maintain safety of the people and other installations in the building.
- (iv) The lifts Contractor shall provide temporary electricity supply for erection and shaft lighting, and thereafter a permanent supply from an appropriate isolator.

B. Lifts Pits

The lifts contractor shall provide and fix ladders where such facility may be required

as stipulated in EN81-20:2014, and terminal and over travel limit switches.

C. Lift Motor Room

The lifts Contractor shall provide the following in the lifts motor room:

- (i) Cut-outs for roping, safety gear ropes, selector tapes (where provided) cabling etc. in the lift room floor.
- (ii) Lifting beam in the form of a rolled steel joist if required.
- (iii) General lighting cable ducts and conduits and power and ventilation equipment.

D. <u>Access</u>

The lifts Contractor shall provide stairway access with lockable doors to the lifts motor room. On the outer side of the door shall be written in red letters:

"DANGERS 415 VOLTS – LIFT MOTOR ROOM – NO UNAUTHORISED PERSON ALLOWED INSIDE"

E. <u>Builder's Work</u>

The lifts Contractor shall provide for:

- (i) All chasing, shaft ventilation and making good
- (ii) All drilling and plugging of holes in floors, walls, ceiling and roofs for security services, and for equipment requiring screw or bolt fixing.
- (iii) Any purpose made fixing brackets

3. FIREMAN'S SWITCH FOR THE LIFTS

A fireman's control switch shall be provided in the down terminal floor, main entrance lobby. The Fireman's switch shall be of the type approved by the Engineer.

Operation of the Fireman's switch shall stop the lift car on the next landing but without opening the car and landing doors and immediately return the lift to the ground floor irrespective of any other calls and park lift with doors open. The car will then become in-operative with the exception of the 'Fireman's Lift' which shall operate in answer to the car buttons until only the fireman's switch is reset.

4. EMERGENCY ALARM SYSTEM

An emergency alarm system and an intercom shall be installed between the car, the motor room, and the reception desk on the ground floor.

The alarm system shall be clearly labeled "Emergency Alarm". On pushing an alarm button, the system should ring simultaneously in the car, motor room (top floor at the controller for MLR lifts) and the reception desk.

The lifts Contractor shall carry out the wiring in the lift car and between machine and the reception desk. The power supply for the alarm system shall be derived from a self-recharging unit.

5. EMERGENCY DOOR KEYS

It shall be possible to open every lift-landing door by the use of a release key whether or not the lift car is in the landing zone. The key hole shall be unobtrusive and located at high level.

6. CALL STATION AND OPERATING PANEL BUTTONS

The call station, distributed between the lifts on each landing, and operating panel buttons shall be micro-motion push button.

7. INTERFERENCE SUPPRESSION

The lift motor and auxiliary controls shall be suppressed so as not to interfere with local radio and television reception and closed circuit television or Electro mechanical equipment within the building. The suppression shall be carried out in accordance with **EN81-50:2014** and all suppression devices incorporated shall comply with **EN81-20:2014**.

8. **PROTECTION PADS**

The lifts Contractor shall supply one set of protective quilted cover pads to approval for passenger lift cars.

9. CAR EMERGENCY LIGHTING

The lift car shall be provided with an emergency light fitting operating from a self-recharging battery unit. The emergency light will be built in the car-operating panel.

10. TEST

Both on completion of his work on the lift and at the end of the guarantee period, the lift Contractor shall carry out all the tests as required and in accordance with **EN81-50:2014** in the presence of the Engineer and shall provide all the necessary instruments, labour and materials to do so at his cost.

Damage occurring, as a result of these tests will be made good by the Lifts Contractor to the Engineer's satisfaction at his expense.

4No. (Four) copies of the test certificates for each lift should be forwarded to the Engineer within 4 days of completion of the last test.

11. TRAINING

The tenderer shall provide in his tender for the attachment on site, for training in the maintenance of the lifts, of 2No.technicians during the dismantling, installation, testing and commissioning period.

12. PROTECTION AGAINST POWER/VOLTAGE FLUCTUATIONS, SURGE AND TRANSIENT CURRENTS

The lift equipment and all its controls shall be protected against power/ voltage fluctuations, surges and transient currents. The contractor shall provide for and install all the necessary

equipment for this protection.

The protective switchgear shall be verified by the Engineer during the overseas factory inspection.

13. INITIAL STATUTORY INSPECTION

- 13.1 The tenderer shall allow in his tender for the initial statutory inspection of the lifts by an Approved Government Lift Inspector during the commissioning of the new lifts, and thereafter for inspection at intervals of six (6) months periodic time during the 12 months defects liability period. One of the inspections shall be done after the expiry of the defects liability period on confirming that all the defects (if any) have been corrected by the lifts contractor.
- 13.2 The employer and the contractor shall, at each inspection, each retain a copy of the lift inspection certificates while the original will be submitted to the Ministry of Labour and Human Resources Development.

14. INITIAL MAINTENANCE

- 14.1 The tenderer shall allow in his tender for the initial routine service maintenance of the new lifts once a month during the 12 months defects liability period and shall carry out all necessary adjustments and repairs, cleaning, greasing and oiling of moving parts.
- 14.2 During the initial maintenance of the new lifts, the tenderer shall also allow in his tender for all tools, instruments, plant and scaffolding and the transportation thereof, as required for the correct and full execution of these obligations and the provision, use or installation of all materials or parts which are periodically renewed such as brake linings etc., or parts which are faulty for any reason whatsoever excepting always acts of God such as storm, tempest, flood, earthquake and civil revolt, acts of war and vandalism.
- 14.3 The contractor shall also provide a 24 -hour break-down service to attend to faults on or malfunctioning of the installation between the routine visits of the defects liability period.
- 14.4 A monthly report of any works done upon the installation shall be supplied to the Engineer.

15. REGISTRATION OF THE NEW LIFTS

15.1 The tenderer shall allow in his tender for the registration of the new lifts with the Ministry of Labour including payments of any fees that may be required. It is the responsibility of the Contractor to avail the registration certificate to the client once the registration has been done.

16. INTERIOR LIFT CAR FINISHES

16.1 The car interior (wall, doors and ceiling) shall be highly engineered polished mirror stainless steel finish with LED Down lighter and LED Strips on ceiling periphery.

The full Architraves shall be real original Granite to Architects/ clients approval.

The tenderer must allow for the said car interior finishes in their bid.

17. FACTORY INSPECTION

- 17.1 The employer shall be entitled to have the quantity and quality of the imported lifts materials inspected by two number (2No.) engineers appointed by the Project Manager and two (2No.) representative for the employer.
- 17.2 The said inspection shall be carried out at the factory of manufacture of the lifts materials during normal working hours and the successful tenderer shall give written notice to the Project Manager at the latest thirty (30) calendar days in advance of the date that the lifts materials are ready for inspection.
- 17.3 Travel (including ground, air travel and airport passage taxes) and full board accommodation expenses in at least a three (3) star hotel incurred by the engineers appointed by the Project Manager, and the employer's representative shall (see clause 17.1) be borne by the contractor. The contractor shall also meet out of pocket expenses for the officers at Government of Kenya rates for the duration of the factory inspection. The costs incurred shall be re-imbursed to the contractor from the provisional sum allowed in the Bills of Quantities.
- 17.4 The inspection period shall be five (5) working days excluding travelling time.
- 17.5 If as a result of the inspection any of the lift materials are found to be defective, the successful tenderer shall replace the defective materials and determine a new date as when a new inspection shall be performed at the expense of the contractor.
- 17.6 The successful tenderer shall only ship the lift materials after the said factory inspection.

18. LIFTS MONITORING SYSTEM

This is to be a software based system with two 24" colour monitors and key boards (in parallel - **two locations - for the client**) to monitor and control security functions at all times. They shall be located at - security area - and at maintenance office. It shall monitor the 4No. Lifts.

A. <u>PARTICULAR SPECIFICATIONS</u>

1.0 LOCATION OF SITE

The site of the proposed works is at Kisumu National Polytechnic, Kisumu, Kenya.

2.0 DESCRIPTION OF THE WORKS

The project comprises the supply, installation, testing and commissioning of 13PAX, 2.5m/sec conventional passenger destination controlled (3VF) modern microprocessor control based lifts and including associated builders and electrical works.

3.0 CLIMATE CONDITIONS

The following climatic conditions apply at the site of the contract work and the equipment, materials and the installations shall be suitable for these conditions.

Mean Maximum Temperatures 31.50°c Mean Minimum

Temperature 13.1[°]C Range of Relative humidity 48% - 93%

Altitude 1680M above sea level

Latitude /Longitude 01019' N/36049' E

Solar Radiation, February Mean Max 543 Langley

Extremely heavy rainfall is experienced at certain periods of the year and the contractor shall be deemed to have taken account of this factor both in his prices and his planning of the execution of the contract works.

4.0 GENERAL REQUIREMENTS

The lifts Contractor shall supply, deliver unload, hoist, fix and erect, test and commission all the equipment, plant and materials in accordance with all specifications contained in this document including the Building plans to provide a complete and operable installation.

The lifts Contractor shall become liable for defects and be responsible for the initial maintenance of the lifts installed all as specified here in.

5.0 PARTICULAR REQUIREMENTS

The tenderer shall provide factory compliance certificate for EN81-20 / EN81-50 to prove compliance with this European code. Failure to provide this shall render the tender non –responsive and hence the bid will not be considered.

6.0 TECHNICAL SPECIFICATION FOR THE PASSENGER LIFTS

I) <u>1NO. 1000Kg PASSENGER LIFTS</u>

| No. of Units: Load: Speed: Drive: | One (1No.) 1000Kg (13 persons) 2.5m/s AC gearless closed loop digital VVVF (microprocessor controlled) |
|--|--|
| Control System: | Electronic. Fully software based microprocessor controlled system. |
| No. of Stops: | 7 stops for 1NO. Lifts (G-F, 1-F, 2-F, 3-F, 4-F, 5-F, 6-F) |
| Travelling Cable: | Install travelling cable to serve interface for fire alarm system, C.C.T.V and Audio System. |
| Lift Pit: | Minimum 1500mm (subject to confirmation on site) |
| Head Room: | Subject to confirmation on site |
| Power Requirements: | 415V±5% ac, 3 phase, at 50Hz |
| Machinery: | Gearless with Machine room. |
| Travel Height: | (subject to confirmation on site) |
| Shaft Size: | The dimensions of the lifts shafts 2210mm (width) by 2340mm (depth) |

Other main facilities

| Other main facilities | | |
|--------------------------|---|-----------|
| and functions to be incl | | ectronic |
| | door sensors Car position indicator with floor numbers on every floor | |
| | Door button – re-open | |
| | Voice guidance system (voice synthesizer) | |
| | Emergency power operation and system backing (To ensure li | |
| | and opens doors at the nearest floor landing in case of power f Intercom facility – 3 way | anure) |
| | Alarm power unit and bell complete with a | |
| | maintained back-up power supply | |
| | Safe landing with deviation of not more than 3mm | |
| | Floor position indicator on every floor | |
| | Independent service key operation | fl |
| | Signal floor lantern with sounders or car arrival chimes on all All the lift call buttons and car operation panels must have but | |
| | for the disabled (Braille for the blind and button for wheel ch users) | |
| | Remote control car stop (emergency) | |
| | Cabin ventilation shall be tropicalised high | |
| | Capacity cylinder type operation. | |
| | Car extract fan should be powerful, quiet, drought free and mu | ilt1- |
| | directional complete with maintained back-up power supply Shall incorporate an Audio Visual car overload device. | |
| | Shall have forced ventilation key switch. | |
| | | |
| Code Compliance: | The lift shall comply with European Specification equivalent of EN 81-20/2014 and EN81-50/2014 | ode |
| Structural Openings: | The lift Contractor shall set the landing doors at 10mm from the finished floor levels so as to get a fall away from the landing to prevent water from flowing down the lift shafts when washing | 0 |
| Entrances: | The lifts car shall have automatic high speed power operated d follows: - | loors as |
| | panel Centre opening doors of 900mm wide by 22 high. | :00mm |
| Car door: | Stainless steel all to Engineer's approval. | |
| Landing door: | Stainless steel to Engineer's approval. | |
| Landing door architra | es: Architraves to be granite tiles subject to approval by the en | gineer. |
| Wall switches: | All operating switches in the lifts shaft shall be of the totally endrip proof type. | nclosed |
| Lighting: | ndirect Lighting shall be fitted in the car to a level of 150 lux. The hall be fully recessed to prevent damage by tall items and have au DN/OFF energy saving features. Emergency car lighting to be incorpo | tomatic |
| Cabin walls: | lairline stainless steel finish and a rear wall of transparent/viewable approved by the Engineer | glass to |
| Mirror: | Three Quarters of height and full width on rear side of lifts for passen | oger lift |

Three Quarters of height and full width on rear side of lifts for passenger lift

| Door Operation: | Heavy duty variable frequency driven door operators on a frame above the lift car. Fully adjustable door open and close speeds - Micro-processor controlled. |
|-----------------------|--|
| | Intelligent speed adjustments to cope with traffic requirements |
| | Full curtain electronic infrared 3 dimensional detectors. |
| | An electro mechanical type tested interlock shall be provided, fitted on the landing door and operated by the door lock cam on the lift car to prevent movement of the lift car until the landing door is both mechanically and electronically locked. |
| Hand rails: | Hairline stainless steel plating hand rails to be provided on the three panel sides. Lower rails for wheel chair users also to be incorporated. |
| Emergency light: | Emergency light in the lift cars shall be 6 watts complete with a maintained back-up power supply |
| Signal Hall Lanterns | LCD displays and different tones for up and down motions. |
| Signal fixtures: | Wide angle view car position indicator unit with high reliable LED technology. |
| Floor buttons: | Micro motion with ring illumination Brushed stainless steel plate with Braille indication and button for wheel chair users. |
| Floor: | Granite tiles, 6mm thick for |
| Car position indicato | rs: Car position indicators shall be digital LCD type & Buzzers. |
| Car direction indicat | ors: Car direction indicators shall have polycarbonate Covers and 160° angle view. |
| Manual operation: | Provision shall be made for manual raising and Lowering by means of spoke less Wheel. This wheel shall be mounted on the drive motor or provided at the controls for the machine-room less lifts. This facility should be availed at the control panel |
| Guarantee of Spare p | arts: The tenderer must confirm in writing and provide Written commitment from manufacturer, the availability of parts for the make of lift proposed for installation, for a continuous period of at least 10 (Ten) years. |
| Painting: | All parts of the control equipment, switchgear trunking bed plates and closed sections of metal parts which will not be accessible for painting after erection shall be given three coats of paint at the manufacture's works. All bright surfaces shall be coated with lacquer or other protective coating before leaving the manufacturer's works. Metal works in the lift shaft shall be painted on site with three coats of best quality oil paint. The lifts machine and other machinery located in the lifts motor room shall be painted with three coats of best quality oil paint one coat being applied after erection. |
| Construction: | In general, the lift car shall be constructed from pressed steel. |

| | The method of construction and strength of lift cars, doors and panels shall comply with B.S. 5655. Part 1 1970 and the amendments and in accordance with European code EN81–20 / EN81-50. |
|------------------------------|---|
| Base frame: | The complete hoisting equipment shall be mounted on a base frame of fabricated steel which when installed shall be insulated from the building structure by means of rubber or other approved sound and vibration isolated material provided and fixed in an approved manner between frame and the supporting beams. |
| Facilities for the Disabled: | Shall comply to EN81–20 / EN81-50 |

Communication & Monitoring Equipment wiring: The lifts shall be fully equipped with an industry standard interface (LON, BACnet etc.,) for Building management system interconnection for remote monitoring and control. The lifts shall also have an interface for integration

1NO. 450Kg PASSENGER LIFTS II)

| No. of Units: Load: Speed: Drive: | One (1No.) 450Kg (6 persons) 2.5m/s AC gearless closed loop digital VVVF (microprocessor controlled) |
|--|--|
| Control System: | Electronic. Fully software based microprocessor controlled system. |
| No. of Stops: | 2 stops for 1NO. Lifts (G-F, F-F) |
| Travelling Cable: | Install travelling cable to serve interface for fire alarm system, C.C.T.V and Audio System. |
| Lift Pit: | Minimum 1500mm (subject to confirmation on site) |
| Head Room: | (subject to confirmation on site) |
| Power Requirements: | 415V±5% ac, 3 phase, at 50Hz |
| Machinery: | Gearless with Machine room. |
| Travel Height: | (subject to confirmation on site) |
| Shaft Size: | The dimensions of the lifts shafts 1600mm (width) by 1600mm (depth) |

Other main facilities

| and functions to be incl | luded: | Car door operation shall be fully automatic with (infra-red) electronic door sensors |
|--------------------------|------------|--|
| | | Car position indicator with floor numbers on every floor |
| | : | Door button – re-open |
| | : | Voice guidance system (voice synthesizer) |
| | : | Emergency power operation and system backing (To ensure lift stops and opens doors at the nearest floor landing in case of power failure) |
| | : | Intercom facility – 3 way |
| | : | Alarm power unit and bell complete with a |
| | | maintained back-up power supply |
| | : | Safe landing with deviation of not more than 3mm |
| | : | Floor position indicator on every floor |
| | : | Independent service key operation |
| | : | Signal floor lantern with sounders or car arrival chimes on all floors. |
| | : | All the lift call buttons and car operation panels must have buttons for the disabled (Braille for the blind and button for wheel chair users) |
| | | Remote control car stop (emergency) |
| | • | Cabin ventilation shall be tropicalised high |
| | • | Capacity cylinder type operation. |
| | • | Car extract fan should be powerful, quiet, drought free and multi- |
| | • | directional complete with maintained back-up power supply |
| | : | Shall incorporate an Audio Visual car overload device. |
| | : | Shall have forced ventilation key switch. |
| | | • |
| Code Compliance: | | The lift shall comply with European Specification equivalent code EN 81-20/2014 and EN81-50/2014 |
| Structural Openings: | | The lift Contractor shall set the landing doors at 10mm from the finished floor levels so as to get a fall away from the landing to prevent water from flowing down the lift shafts when washing up. |
| Entrances: | | The lifts car shall have automatic high speed power operated doors as follows: - |
| | | panel centre opening doors of 900mm wide by 2200mm high. |
| Car door: | | Stainless steel all to Engineer's approval. |
| Landing door: | | Stainless steel to Engineer's approval. |
| Landing door architr | aves: | Architraves to be granite tiles subject to approval by the engineer. |
| Wall switches: | | All operating switches in the lifts shaft shall be of the totally enclosed drip proof type. |
| Lighting: | shall b | et Lighting shall be fitted in the car to a level of 150 lux. The fittings be fully recessed to prevent damage by tall items and have automatic FF energy saving features. Emergency car lighting to be incorporated |
| Cabin walls: | Hairli | ne stainless steel to Engineer's approval. |
| Mirror: | Three | Quarters of height and full width on rear side of lifts for passenger lift |
| Door Operation: | Heavy car. | duty variable frequency driven door operators on a frame above the lift |
| | | djustable door open and close speeds - |

| | Micro-proc | essor controlled. |
|------------------------|--------------|--|
| | Intelligent | speed adjustments to cope with traffic requirements |
| | Full curtain | electronic infrared 3 dimensional detectors. |
| | landing do | mechanical type tested interlock shall be provided, fitted on the or and operated by the door lock cam on the lift car to prevent of the lift car until the landing door is both mechanically and lly locked. |
| Hand rails: | | irline stainless steel plating hand rails to be provided on the three nel sides. Lower rails for wheel chair users also to be incorporated. |
| Emergency light: | | ergency light in the lift cars shall be 6 watts complete with a intained back-up power supply |
| Signal Hall Lanterns: | LC | D displays and different tones for up and down motions. |
| Signal fixtures: | | de angle view car position indicator unit with high reliable LED hnology. |
| Floor buttons: | | icro motion with ring illumination Brushed stainless steel plate ith Braille indication and button for wheel chair users. |
| Floor: | Gra | anite tiles, 6mm thick for |
| Car position indicator | rs: Ca | r position indicators shall be digital LCD type & Buzzers. |
| Car direction indicate | | r direction indicators shall have polycarbonate Covers and 160° gle view. |
| Manual operation: | of s mo | ovision shall be made for manual raising and Lowering by means spoke less Wheel. This wheel shall be mounted on the drive tor or provided at the controls for the machine-room less lifts. is facility should be availed at the control panel |
| Guarantee of Spare p | arts: | The tenderer must confirm in writing and provide Written commitment from manufacturer, the availability of parts for the make of lift proposed for installation, for a continuous period of at least 10 (Ten) years. |
| Painting: | | All parts of the control equipment, switchgear trunking bed plates and closed sections of metal parts which will not be accessible for painting after erection shall be given three coats of paint at the manufacture's works. All bright surfaces shall be coated with lacquer or other protective coating before leaving the manufacturer's works. Metal works in the lift shaft shall be painted on site with three coats of best quality oil paint. The lifts machine and other machinery located in the lifts motor room shall be painted with three coats of best quality oil paint one coat being applied after erection. |
| Construction: | | In general, the lift car shall be constructed from pressed steel. The method of construction and strength of lift cars, doors and panels shall comply with B.S. 5655. Part 1 1970 and the amendments and in accordance with European code EN81–20 |

/ EN81-50.

| Base frame: | The complete hoisting equipment shall be mounted on a base frame of fabricated steel which when installed shall be insulated from the building structure by means of rubber or other approved sound and vibration isolated material provided and fixed in an approved manner between frame and the supporting beams. |
|------------------------------|---|
| Facilities for the Disabled: | Shall comply to EN81–20 / EN81-50 |

Communication & Monitoring Equipment wiring:

The lifts shall be fully equipped with an industry standard interface (LON, BACnet etc.,) for Building management system interconnection for remote monitoring and control. The lifts shall also have an interface for integration

7.0 INFORMATION TO BE SUPPLIED BY THE TENDERER

7.1: The tenderer shall fill in the following information pertaining to the Lift offered at the time of tendering: -

| (i) | Type of Drive Motor |
|--------|-------------------------------|
| (ii) | Size of the Drive Motor (KW) |
| (iii) | Country of Manufacture |
| (iv) | Power Factor |
| (v) | Starting Current A |
| (vi) | Running Current B. |
| (vii) | Duration of Starting Current |
| (viii) | Lift Capacity (Kg/Persons) |
| (ix) | Lift Speed |
| (x) | Landing Doors Type |
| (xi) | Landing Doors Safety Features |
| (xii) | Dimensions of Lift Car |
| (xiii) | Shaft size dimensions (WxD) |

| (xiv) | Dimensions of Landing Doors |
|-------|-----------------------------|
| (xv) | Structural Openings (WxH) |
| (xvi) | Headroom (Height) |

Request For Review

FORM FOR REVIEW (r.203 (1))

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NO......OF......20......

BETWEEN

.....APPLICANT

AND

......RESPONDENT (Procuring Entity)

REQUEST FOR REVIEW

| I/We | the above named Applicant(s), of address: Physical addressP. O. Box |
|-------------|---|
| No | Tel. NoEmail, hereby request the Public Procurement Administrative Review Board to review |
| the whole/p | art of the above mentioned decision on the following grounds, namely: |
| 1. | |
| 2. | |
| By this me | norandum, the Applicant requests the Board for an order/orders that: |
| 1. | |
| 2. | |
| SIGNED | day of/20 |
| | |

FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board on......day of20......

SIGNED

Board Secretary